

Author Index

- Alameddine, L., see Wimer, R.E., 191
Aranda, A., see Ortiz-Caro, J., 229
Astic, L. and Saucier, D., Topographical projection of the septal organ to the main olfactory bulb in rats: ontogenetic study, 297
Atsuta, Y., Garcia-Rill, E. and Skinner, R.D., Electrically induced locomotion in the in vitro brainstem-spinal cord preparation, 309

Bennett, M.V.L., see Gregory, W.A., 205
Berger, B., see Verney, C., 45
Berry, M., see Wigley, C.B., 85
Brooks, A.R., see Hohmann, C.F., 253
Bruun, A., see Östholm, T., 1

Coyle, J.T., see Hohmann, C.F., 253
Cramer, C.P., Experience during suckling increases weight and volume of rat hippocampus, 151
Cupo, A., see Gil-Loyzaga, P., 142
Cynader, M., see Needler, M.C., 217

Daval, J.L., see Deckert, J., 313
De Kloet, E.R., see Rosenfeld, P., 113
De Kloet, E.R., see Rosenfeld, P., 119
Deckert, J., Morgan, P.F., Daval, J.L., Nakajima, T. and Marangos, P.J., Ontogeny of adenosine uptake sites in guinea pig brain: differential profile of [³H]nitrobenzylthioinosine and [³H]dipyridamole binding sites, 313
Delivoria-Papadopoulos, M., see Mishra, O.P., 173
Dow-Edwards, D.L., Freed, L.A. and Milhorat, T.H., Stimulation of brain metabolism by perinatal cocaine exposure, 137

Ekström, P., see Östholm, T., 1
Elder, G.A. and Major, E.O., Early appearance of type II astrocytes in developing human fetal brain, 146
Eybalin, M., see Gil-Loyzaga, P., 142

Faivre-Sarrailh, C. and Rabié, A., Developmental study of factors controlling microtubule in vitro cold-stability in rat cerebrum, 199
Febvret, A., see Verney, C., 45
Feder, H.H., see Johnson, A.E., 247
Figlewicz, D.A., Gremo, F. and Innocenti, G.M., Differential expression of neurofilament subunits in the developing corpus callosum, 181
Fitzgerald, M. and Shortland, P., The effect of neonatal peripheral nerve section on the somadendritic growth of sensory projection cells in the rat spinal cord, 129
Freed, L.A., see Dow-Edwards, D.L., 137

Garcia-Rill, E., see Atsuta, Y., 309
Gaspar, P., see Verney, C., 45
Gavaret, J.-M., see Pomerance, M., 77
Gil-Loyzaga, P., Cupo, A. and Eybalin, M., Met-enkephalin and Met-enkephalin-Arg⁸-Gly⁷-Leu⁶ immunofluorescence in the developing guinea-pig organ of Corti, 142

Godfraind, C., Schachner, M. and Goffinet, A.M., Immunohistological localization of cell adhesion molecules L1, J1, N-CAM and their common carbohydrate L2 in the embryonic cortex of normal and reeler mice, 99
Goffinet, A.M., see Godfraind, C., 99
Gordon-Weeks, P.R. and Lang, R.D.A., The α -tubulin of the growth cone is predominantly in the tyrosinated form, 156
Gregory, W.A. and Bennett, M.V.L., Gap junctions in goldfish preoptic ependyma: regional variation in cellular differentiation, 205
Greis, Chr., see Rösner, H., 161
Gremo, F., see Figlewicz, D.A., 181

Hakamada, S., Hayakawa, F., Kuno, K. and Tanaka, R., Development of the monosynaptic reflex pathway in the human spinal cord, 239
Hayakawa, F., see Hakamada, S., 239
Henke-Fahle, S., see Rösner, H., 161
Hohmann, C.F., Brooks, A.R. and Coyle, J.T., Neonatal lesions of the basal forebrain cholinergic neurons result in abnormal cortical development, 253
Hunt, A., see Patel, A.J., 283

Innocenti, G.M., see Figlewicz, D.A., 181

Jacquemin, C., see Pomerance, M., 77
Johnson, A.E., Nock, B., McEwen, B.S. and Feder, H.H., α_1 - and α_2 -noradrenergic receptors in steroid-sensitive brain areas: development and response to estradiol-17 β benzoate in neonatal guinea pigs, 247

Kalin, N.H. and Shelton, S.E., Effects of clonidine and propranolol on separation-induced distress in infant rhesus monkeys, 289
Kita, H., see Surmeier, D.J., 265
Kitai, S.T., see Surmeier, D.J., 265
Kuno, K., see Hakamada, S., 239

Lang, R.D.A., see Gordon-Weeks, P.R., 156
Leon, M., see Wilson, D.A., 69
Levine, S., see Rosenfeld, P., 113
Levine, S., see Rosenfeld, P., 119
López-Colomé, A.M., see Somohano, F., 59

Major, E.O., see Elder, G.A., 146
Marangos, P.J., see Deckert, J., 313
Matricon, C., see Pomerance, M., 77
McEwen, B.S., see Johnson, A.E., 247
Milhorat, T.H., see Dow-Edwards, D.L., 137
Mishra, O.P. and Delivoria-Papadopoulos, M., Anti-oxidant enzymes in fetal guinea pig brain during development and the effect of maternal hypoxia, 173
Morgan, C.R., see Trune, D.R., 304
Morgan, P.F., see Deckert, J., 313

Nakajima, T., see Deckert, J., 313
Needler, M.C., Wilkinson, M., Prusky, G., Shaw, C. and

- Cynader, M., Development of phorbol ester (protein kinase C) binding sites in cat visual cortex, 217
- Nock, B., see Johnson, A.E., 247
- Ortiz-Caro, J., Yusta, B., Pascual, A. and Aranda, A., Proliferation and differentiation are not directly related to H_2O_2 accumulation in cultured glial cells, 229
- Östholm, T., Ekström, P., Bruun, A. and Van Veen, T., Temporal disparity in pineal and retinal ontogeny, 1
- Pascual, A., see Ortiz-Caro, J., 229
- Patel, A.J., Seaton, P. and Hunt, A., A novel way of removing quiescent astrocytes in a culture of subcortical neurons grown in a chemically defined medium, 283
- Pierre, M., see Pomerance, M., 77
- Pomerance, M., Gavaret, J.-M., Jacquemin, C., Matricon, C., Toru-Delbauffe, D. and Pierce, M., Insulin and insulin-like growth factor 1 receptors during postnatal development of rat brain, 77
- Prusky, G., see Needler, M.C., 217
- Rabié, A., see Faivre-Sarrailh, C., 199
- Roberts, P.J., see Somohano, F., 59
- Rosenfeld, P., Sutanto, W., Levine, S. and De Kloet, E.R., Ontogeny of Type I and Type II corticosteroid receptors in the rat hippocampus, 113
- Rosenfeld, P., Van Eekelen, J.A.M., Levine, S. and De Kloet, E.R., Ontogeny of the Type 2 glucocorticoid receptor in discrete rat brain regions: an immunocytochemical study, 119
- Rösner, H., Greis, Chr. and Henke-Fahle, S., Developmental expression in embryonic rat and chicken brain of a polysialo-ganglioside-antigen reacting with the monoclonal antibody Q 211, 161
- Saucier, D., see Astic, L., 297
- Schachner, M., see Godfraind, C., 99
- Seaton, P., see Patel, A.J., 283
- Shaw, C., see Needler, M.C., 217
- Shelton, S.E., see Kalin, N.H., 289
- Shortland, P., see Fitzgerald, M., 129
- Skinner, R.D., see Atsuta, Y., 309
- Somohano, F., Roberts, P.J. and López-Colomé, A.M., Maturation changes in retinal excitatory amino acid receptors, 59
- Surmeier, D.J., Kita, H. and Kitai, S.T., The expression of γ -aminobutyric acid and Leu-enkephalin immunoreactivity in primary monolayer cultures of rat striatum, 265
- Sutanto, W., see Rosenfeld, P., 113
- Tanaka, R., see Hakamada, S., 239
- Toru-Delbauffe, D., see Pomerance, M., 77
- Trune, D.R. and Morgan, C.R., Influence of developmental auditory deprivation on neuronal ultrastructure in the mouse anteroventral cochlear nucleus, 304
- Van Eekelen, J.A.M., see Rosenfeld, P., 119
- Van Veen, T., see Östholm, T., 1
- Verney, C., Gaspar, P., Febvret, A. and Berger, B., Transient tyrosine hydroxylase-like immunoreactive neurons contain somatostatin and substance P in the developing amygdala and bed nucleus of the stria terminalis of the rat, 45
- Westrum, L.E., Electron microscopy of plasticity in rat olfactory cortex, 29
- Wigley, C.B. and Berry, M., Regeneration of adult retinal ganglion cell processes in monolayer culture: comparisons between cultures of adult and neonatal neurons, 85
- Wilkinson, M., see Needler, M.C., 217
- Wilson, D.A. and Leon, M., Noradrenergic modulation of olfactory bulb excitability in the postnatal rat, 69
- Wimer, C.C., see Wimer, R.E., 191
- Wimer, R.E., Wimer, C.C. and Alameddine, L., On the development of strain and sex differences in granule cell number in the area dentata of house mice, 191
- Yusta, B., see Ortiz-Caro, J., 229
- Ziskind-Conhaim, L., Physiological and morphological changes in developing peripheral nerves of rat embryos, 15

